



## Natural Weaves Woven Wood Fitting & Operating Instructions

Louvolite Customer Services Tel: 0161 882 5050 Email: [sales@louvolite.com](mailto:sales@louvolite.com)  
[www.louvolite.com](http://www.louvolite.com)

## The installation pack will include sufficient brackets and screws for the fitting of your blinds.

### Free Hang Blinds (Rectangular)

Woven Wood blinds are available in two finishes - Classic and premier. The classic style can be top, face or side fixed, whereas the Premier is either a top or face fix using a sculptured headrail. It is important to check which style you have selected before proceeding with the installation.

The blind style for both Classic and Premier finishes can be roman or roll up.

### Premier Finish ('Hidden' Brackets)

Follow the same preparation procedure as the Classic style installation. Before proceeding to fix the 'hidden' brackets into the wall or window frame, using a screwdriver, loosen the holding plate at the base of the bracket sufficiently to accommodate the sculptured headrail while positioning. With the brackets fixed manoeuvre the headrail into position. Once satisfied that it is in the desired position, tighten the holding plate to secure the blind in place.

### Operating your Free Hang Blinds

To lower the blind hold the control cord in a vertical position and pull it downwards slightly to release the cord locking mechanism. Keeping hold of the cord allow the blind to drop or unfurl slowly to the desired position. Pull the cord to the side of the blind to lock the mechanism then release the cord. To raise the blind pull the cord until the blind is at the required level and move the cord to the side to lock it in place.

## Child Safety - Fitting the Cord Cleat

### For the installer

Cord cleat should be fixed by two screws in a safe position, not accessible to children. Always attach a Safety Warning Tag.

### For the consumer

Always wrap the cord or chains around the cleat after use.


### WARNING

Young children can strangle in the loop of pull cords, chains and tapes, and cords that operate window coverings. They can also wrap cords around their necks. To avoid strangulation and entanglement, keep cords out of the reach of young children. Move beds, cots and furniture away from window covering cords.


"Complete elimination of the strangulation risk can only be achieved by keeping cords, chains, and tapes and similar out of the reach of children. Use of additional safety devices may reduce the risk of strangulation but cannot be considered foolproof ... Persons in charge of children are ultimately responsible for following the safety instructions provided by the manufacturer."

Remove the cords from the packaging.

Position the cleat a minimum of 1500mm from the floor.  
Mark the position of the holes on the cleat.




Drill and plug if necessary and attach the cleat to the wall.



Wrap the cords around the cleat in a figure of eight.



# Child Safety - BS EN 13120 Guidelines for Woven Wood



**1** If fixing height is unknown

- Blind drop  $\leq$  2.5 metres, the chain length must be  $\leq$  1 metre.
- Blind drop  $>$  2.5 metres, the chain length must be drop of blind minus 1.5 metres.

**2** If fixing height known

All blind drop sizes, distance between floor and bottom of chain must be greater than 1.5 metres.

**3** Open balls, large - must be fitted 1 per cord.

**4** Each individual panel size must be less than 200mm deep.

**5** Pull cords must be fitted with Non tangle tassels.

**6** Cord cleat/s

Affix cleat/s out of childrens reach at a min of 1.5m from floor ensuring all operating cords are taut (chain no more than 50mm apart at entry/exit of cord cleat/s). The complete length of pull cord/s must be accumulated when blind is fully retracted - using 2 x cord cleats if required.


**NOTE TO INSTALLER:** Please ensure general child safety warning tag is fitted on the product.

**WARNING**

Young children can be strangled by loops in pull cords, chains, tapes and inner cords that operate the product.

To avoid strangulation and entanglement, keep cords out of the reach of young children. Cords may become wrapped around a child's neck. Move beds, cots and furniture away from window covering cords.

Do not tie cords together. Make sure cords do not twist and create a loop.



Also find us on:



Visit the Louvolite website to view the links to all of our assembly instructional videos  
[www.louvolite.com](http://www.louvolite.com)

